



AUTOMATIC

COFFEE MACHINE

CLT-S9 SERIES



ENJOY COFFEE

ONE TOUCH

CAPPUCCINO

LATTE

ESPRESSO


20+ BEVERAGES



Double Boiler

FASTER + STABLE

92°C



1 cup coffee=1-3 mintes

INSTANT HEATING

ALLOY GRINDER





# HEXAGONAL TAPERED GRINDER



Hexagonal Tapered Grinder

**VS**

Outdated/Antique Grinder

Powder Versus

5 Level Adjustable



## AUTO THICKNESS ADJUSTING

TURN LEFT: FINEST  
TURN RIGHT: THICKEST





Voltage	220-240VAC/110-127V
Frequency	50/60HZ
Rating Power	1200-1500W
Water Tank Capacity	1700 ml
Bean Container Capacity	250 grams
Coffee Volumn adjustable	30-250ml
Aluminium Boiler	Double Transient thermal
Pump Pressure	19 Bar(Italy ULKA pump)
Coffee Powder Volumn for 1 cup coffee	7-12g
Waste coffee cake capacity	10CUP
Coffee Outlet Height	80-140mm
N.W./G.W	11/13.2 Kgs
Colour	Black
Adjustable coffee Temperature	85-93°C
Product Size	485 (W)*290(L)*395 mm(H)
Carton Box Size	560 (W)*340(L)*440mm(H)
PCS/CTN	1PC/CTN
Certification	CE/GS/CB/KC/SAA/ROHS



ABS housing

#### MAIN FUNCTIONS

Espresso/ Double Espresso	√	Ristretto	√	Long espresso	√
Americano	√	Cappuccino/Double Cappuccino	√	Latte /Double Latte	√
Flat White/Double Flat White	√	Cortado	√	Cafe Macchiato/Double Cafe Macchiato	√
Hot Water	√	Hot Milk Foam	√	Hot Milk	√
Milk coffee	√	Latte Macchiato	√	Descaling function	√
Water shortage warning	√	Coffee powder brewing	√	Coffee powder fineness adjustment	√
Coffee volume adjustment	√	coffee temperature adjustment	√	Cup warming plate	√
Adjustable coffee taste	√	Self-clean	√	Language selection	√

#### Product Advantage